



Product name

Separator with quick clamping pressure spindle

For removing ball bearings, roller bearings, inner races and other tight parts if there is not enough space to use pulling hooks.

Art. No. 17-1

Series 17


EAN 4021176008283



	Technical attribute	Metric	Imperial
	Diameter of the shaft	12 - 75 mm	1/2 - 3 inch
	Distance of side screw	75 mm	2 7/8 inch
	Weight	1.465 kg	
	Space below	0 mm	0 inch
	Space next to it	75 mm	3 inch
	Spread	12 - 12 mm	1/2 - 1/2 inch
	Depth	200 mm	7 7/8 inch



has to be accomplished with



Pulling device

18-1



Spare part

Art. No.	Product name
17-0-T	Cross-beam
17-1-06	Spindle
017167	Side bolt with nut

Part of

Art. No.	Product name
17-A	Separating-set with quick clamping pressure spindle
WT-005	Puller product range - automotive
WT-019	Puller product range - separating
EVLW-2-INDUSTRIE	Display
EVLW-2-KFZ	Merchandiser, automotiv pullers
EVLW-2-NFZ	Merchandiser, automotive pullers / commercial vehicle / agricultural machinery
K-20+17-C	Universal separator and puller set
K-20+17	Universal separator and puller set
EVLW-INDUSTRIE BASIC	Display





Spare part of

Art. No.	Product name
17-A	Separating-set with quick clamping pressure spindle
WT-005	Puller product range - automotive

Also included in

Art. No.	Product name
WT-005	Puller product range - automotive



**Kleinbongartz
& Kaiser
oHG
Werkzeugfabrik
Hilden - Germany**

Dokumentname:
17-1_Trennvorrichtung

Toleranz:
DIN ISO 2768-m

Dokumentbeschreibung:
Baugruppe

Material:
Hoch legierter Werkzeugstahl /
High alloy tool steel

Erstellt von:
Breidenbach

Erstellungsdatum:
23/11/2018

Maßstab:
1:2

Teilbeschreibung:

Trennvorrichtung mit Schnellspanndruckspindel/
Separator with quick clamping pressure spindle

Wärmebehandlung / Härte:
vergüteter Stahl/ tempered steel

Oberflächenbehandlung:
-

Artikelnummer / ZNR.:
17-1

Dokumentversion:
-

Schutzvermerk
ISO 16016
beachten